


SPECIFICATIONS

Product Code	AMFRABV412/AMFRABV412B – 100 x 300mm Antique Brass AMFRABV614B – 150 x 350mm Antique Brass AMFRpBV412/AMFRPBV412B – 100 x 300mm Polished Brass AMFRPBV614B – 150 x 350mm Polished Brass AMFRCHV412/AMFRCHV412B – 100 x 300mm Chrome AMFRCHV614B – 150 x 350mm Chrome AMFRBIV412/AMFRBLV412B – 100 x 300mm Matte Black AMFRRBB614B – 150 x 350mm Matte Black						
Finishes	Electroplated Antique Brass, Polished Brass, Chrome Powder Coated Matte Black						
Material	Heavy gauge steel (face) Rust proof metal louvered damper						
Weight	100 x 300 – 700 grams 150 x 350 – 950 grams						
Construction	Heavy gauge steel electroplated or powder coated faceplate Multi louvered metal damper 2 x 22mm Blades – 100mm x 300mm 4 x 22mm Blades – 150mm x 350mm Register height is 5.06mm above floor level						
Dimensions		DAYLIGHT OPENING (mm)		OVERALL (mm)		DEPTH (mm)	
	SIZE A x F	B	D	C	E	G(CLOSED)	H(OPEN)
	4 X 12	96	301	136	341	33	49
	6 X 14	147	349	187	396	42	58



Surface Wind Speed	m/s	1.52	2.03	2.54	3.05	3.56	4.06	4.57	5.08
	FPM	300	400	500	600	700	800	900	1000
4 X 12 AK 0.132	cfm	40	53	66	79	92	106	119	132
	Ps	0.008	0.012	0.016	0.020	0.028	0.040	0.048	0.060
	Throw	10	13.5	16	20.5	23	26.5	30	32.5
6 X 14 AK0.272	cfm	82	109	136	163	191	218	245	272
	Ps	0.003	0.006	0.009	0.016	0.020	0.029	0.038	0.042
	Throw	18	24	30	36	43	47	54	60

Note: The wind speed at the end of the range is 0.38m / s. The unit of Throw (range) in the table is: feet; The unit of Ak (effective area) is: square feet.